

EAST Search History

10/821,199

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050234985"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 09:22
L2	58	((run\$1time or play\$1time) near2 (content or medi\$2)) and (real\$1time and extract) and @ad<"20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:08
L3	0	707/104.1.ccls. and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:08
L4	0	707/101.ccls. and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:08
L5	0	707/100.ccls. and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:09
L6	0	707/10.ccls. and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:10
L7	1	709/225.ccls. and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:10
L8	1	715/500\$.ccls. and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:10
L9	3	"707"/\$.ccls. and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:10

EAST Search History

S1	0	("(receiv\$4with(contentormedia)withreal\$1time)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 09:22
S2	1617	(receiv\$4 with (content or media) with real\$1time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 19:31
S3	29	(receiv\$4 with (content or media) with real\$1time) and (extract\$4 with (content or media) with real\$1time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 19:31
S4	24	(receiv\$4 with (content or media) with real\$1time) and (extract\$4 with (content or media) with real\$1time) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 19:32
S5	0	(receiv\$4 with (content or media) with real\$1time with run\$4) and (extract\$4 with (content or media) with real\$1time) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 19:32
S6	13	(receiv\$4 with (content or media) with real\$1time) and (extract\$4 with (content or media) with real\$1time) and run\$4 and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:53
S7	1	(receiv\$4 with (content or media) with real\$1time) and (extract\$4 with (content or media) with real\$1time) and run\$4time and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 19:33
S8	7	(receiv\$4 with (content or media) with real\$1time) and (extract\$4 with (content or media) with real\$1time) and run\$4 and @ad < "20040409" and ("20030221010" or "6877134".pn. or "20020032863" or "20020016820" or "20040003398" or "20040059744" or "20040205214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 19:18
S9	0	(means adj for) and @ad > "20060505" and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:25

EAST Search History

S10	0	"means for" and @ad > "20060505" and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:28
S11	0	"means for" and @ad > "20060105" and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:25
S12	0	"means for" and @ad > "20060105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:25
S13	2	"means for"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:26
S14	169	"recording means"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:26
S15	0	"mean for" and @ad > "20060505" and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:31
S16	0	"A control means for" and @ad > "20060505" and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:32
S17	0	"control means for" and @ad > "20060505" and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:32
S18	0	"means for" and @ad > "20060505" and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:33
S19	0	"mean for" and @ad > "20060505" and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:33

EAST Search History

S20	1	(receiv\$4 with (content or media) with real\$1time) and (extract\$4 with (content or media) with real\$1time) and run\$4 and @ad < "20040409" and "6877134".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:14
S21	0	(receiv\$4 with (content or media) with run\$5time with length) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:15
S22	310538	(receiv\$4 with (content or media) with (play or run)\$5time with length) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:16
S23	0	(receiv\$4 with (content or media) with (play\$1time or run\$5time) with length) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:17
S24	92	(receiv\$4 with (content or media) and ((play\$1time or run\$5time) with length)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:27
S25	0	(receiv\$4 with (content or media) same ((play\$1time or run\$5time) with length)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:17
S26	0	(receiv\$4 with (content or media) and ((play\$1time or run\$5time) with length)) and @ad < "20040409" and (extract\$4 with (content or media) with real\$1time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:18
S27	12	(receiv\$4 with (content or media) and ((play\$1time or run\$5time) with length)) and @ad < "20040409" and (extract\$4 with (content or media))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:18
S28	31	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 with (content or media)) and run\$4 and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:53
S29	0	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 with (content or media) with (time near2 length)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:36

EAST Search History

S30	15	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 with (content or media) with (time or length)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:43
S31	0	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 with (content or media) with (time\$2length)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:36
S32	0	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 with meta\$1data with (time or length)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:44
S33	0	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 with meta\$1data same (time or length)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:45
S34	2	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 with meta\$1data) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:47
S35	8	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 and meta\$1data) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:53
S36	11	(receiv\$4 with (content or media) with ((play or run) near2 time)) and (extract\$4 with (content or media) with time) and run\$4 and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 18:54
S37	123	(extract\$4 with (metadata) with (length or time)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:38
S38	0	(efficient with extract\$4 with (metadata) with (length or time)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 19:19
S39	0	(fast with extract\$4 with (metadata) with (length or time)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 19:20

EAST Search History

S40	69	(extract\$4 with (metadata) with (length or time)) and @ad < "20040409" and ((media or content) with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 19:20
S41	6	(extract\$4 with (metadata) with (length or time)) and @ad < "20040409" and ((media or content) with file) and (play\$1time or run\$4time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 19:21
S42	0	("((run\$1timeorplay\$1time)with(cont entormediaormedium))and@ad<20 040409").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 11:19
S43	2049	((run\$1time or play\$1time) with (content or medi\$2)) and @ad<"20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:27
S44	519	S43 and real\$1time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:20
S45	3	S43 and (real\$1time with extract)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:23
S46	207	S43 and (real\$1time and extract)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:24
S47	0	S43 and real\$1time and (extract with "less than")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:23
S48	519	S43 and (real\$1time sameextract)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:24
S49	8	S43 and (real\$1time same extract)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:24

EAST Search History

S50	1	((run\$1time or play\$1time) near2 (content or medi\$2)) and (real\$1time same extract) and @ad<"20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:28
S51	58	((run\$1time or play\$1time) near2 (content or medi\$2)) and (real\$1time and extract) and @ad<"20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 10:07
S52	0	((run\$1time or play\$1time) near2 (content or medi\$2)) and real\$1time and (extract with meta\$1data) and @ad<"20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:29
S53	5	((run\$1time or play\$1time) near2 (content or medi\$2)) and real\$1time and (extract with frame) and @ad<"20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 13:27
S54	1	((run-time or play\$1time) near2 (content or medi\$2)) and real-time and (extract with frame) and @ad<"20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:40
S55	4	("6877134" or "6937814").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 11:40
S56	2	("6877134" or "6937814").pn.	USPAT	OR	ON	2006/08/27 14:11
S57	6	((run\$1time or play\$1time) near2 (content or medi\$2)) and (extract with frame) and @ad<"20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 13:27
S58	2	("6877134" or "6721488").pn.	USPAT	OR	ON	2006/08/27 14:11
S59	92	(receiv\$4 with (content or media) and ((play\$1time or run\$5time) with length)) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:27
S60	96	S59 or ("6877134" or "6721488").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:27

EAST Search History

S61	0	S59 and ("6877134" or "6721488").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:28
S62	2	("6877134" or "6721488").pn. and extract and real\$1time and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:28
S63	0	(extract\$4 with (metadata) with (length or time) with faster) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:38
S64	0	(extract\$4 with (metadata) with (length or time) with sooner) and @ad < "20040409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:38
S65	1	(extract\$4 with (metadata) with (length or time) with faster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 15:35
S66	2	"20050165889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 15:43
S67	2	"6233600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 15:43